

- ___ 6. There is evidence that spirituality plays a positive role in an individual's recovery from alcohol and other drug abuse.
A. True B. False
- ___ 7. Which one of the following client needs should be addressed first in order to enable the client to benefit fully from treatment?
A. Physical health needs
B. Spiritual needs
C. Social support needs
D. Primary emotional disorder
- ___ 8. Standard assessments, by themselves, are an effective tool for determining a clients needs.
A. True B. False
- ___ 9. Criminal justice personnel must be included in the individual case management team at each stage of the treatment process.
A. True B. False
- ___ 10. One of the goals of an appropriate assessment is to understand the client's world from what perspective?
A. A clinical perspective C. A cultural perspective
B. A judicial perspective D. None of the above
- ___ 11. Due to preconceptions, physicians or psychologists may misread symptoms of alcoholism in women as symptoms of depression.
A. True B. False
- ___ 12. HIV testing should be a mandatory part of the medical assessment.
A. True B. False
- ___ 13. **Chapter 3**
These three elements represent the beginning of the treatment process:
A. Screening, assessment and treatment
B. Assessment, planning and systems coordination
C. Screening, assessment and a client's readiness
D. None of the above
- ___ 14. The screening process for those in the criminal justice system can begin as early as when a police officer responds to a complaint or makes an arrest.
A. True B. False

- ___ 15. Arrests are often an excellent stage for screening due to the arrestee being in what type of crisis?
A. Economic crisis
B. Physical deterioration
C. Psychological crisis
D. All of the above
- ___ 16. How many questions does the CAGE screening tool possess to look for potential alcohol involvement?
A. 3
B. 4
C. 5
D. 6
- ___ 17. The Michigan Alcohol Screening Test is a less detailed tool than the CAGE questionnaire.
A. True
B. False
- ___ 18. The assessment identifies the client's:
A. Severity of AOD abuse
B. Readiness for treatment
C. Available support system
D. All of the above
- ___ 19. The Addiction Severity Index is probably the most widely used assessment instrument.
A. True
B. False
- ___ 20. The ASI can be administered by an experienced clinician in approximately:
A. 30 minutes
B. 60 minutes
C. 90 minutes
D. 120 minutes
- ___ 21. These are two weaknesses of the Minnesota Multiphasic Personality Inventory as an assessment tool:
A. Time consuming and expensive
B. High level of difficulty and copyrighted
C. Expensive and copyrighted
D. None of the above
- ___ 22. Without the signed consent of the client and in accordance with confidentiality regulations, the results of the assessment cannot be shared with anyone.
A. True
B. False
- ___ 23. A client's readiness for treatment consists of which of the following factors?
A. Insight into his/her condition
B. A willingness to effect change
C. An appreciation that prior attempts to change did not yield desirable results
D. All of the above
- ___ 24. Research has demonstrated that coerced treatment via a court order is not as effective as voluntary treatment.

